













## PULSAR 115 230 V / 50 Hz

### SELF-CONTAINED ICE CUBE MACHINE

#### FEATURES CARACTERÍSTICAS

- ▶ **PRODUCE SOLID GOURMET CRYSTAL CLEAR ICE CUBES.**  
PRODUCE CUBITOS GOURMET MACIZOS Y CRISTALINOS.
- ▶ **FRONT VENTILATION CONCEPT: FRONTAL IN-OUT AIR SYSTEM ALLOWS 'BUILT IN' MACHINES**  
CONCEPTO FRONT VENTILATION: VENTILACIÓN FRONTAL IN-OUT QUE PERMITE LA INSTALACIÓN ENCASTRADA DE LA MÁQUINA.
- ▶ **STRONGEST DOOR IN THE MARKET. MADE OF STAINLESS STEEL. OPENING AND DAMPING SYSTEM PATENTED BY ITV.**  
PUERTA MÁS SÓLIDA EN EL MERCADO. HECHA DE ACERO INOXIDABLE. SISTEMA DE APERTURA Y AMORTIGUACIÓN PATENTADO POR ITV.
- ▶ **AUSENCIA DE DUCHAS Y ASPERSORES, BOMBAS DE AGUA NI RETENES DE AGUA.**  
ABSENCE OF SHOWERS AND SPRINKLERS, WATER PUMPS OR WATER SEALS.
- ▶ **THE TURBINE SYSTEM, PATENTED AND APPLIED EXCLUSIVELY BY ITV. WITHOUT PUMPS OR INJECTORS OR ELECTRONICS, ITS REVOLUTIONARY PROPULSION SYSTEM PERMANENTLY REMOVES THE EFFECTS OF WATER'S LIMESCALE ON THE MACHINE.**  
EL SISTEMA DE TURBINA, PATENTADO Y APLICADO EN EXCLUSIVA POR ITV. SIN BOMBAS, NI INYECTORES NI ELECTRÓNICA, SU REVOLUCIONARIO SISTEMA DE PROPULSIÓN ELIMINA DEFINITIVAMENTE LOS EFECTOS DE LA CAL DEL AGUA SOBRE LA MÁQUINA.
- ▶ **AISI 304 STAINLESS STEEL FRAME.**  
CARROCERÍA EN ACERO INOXIDABLE AISI 304.
- ▶ **TROPICALIZED MACHINES (T CLASS).**  
MÁQUINAS TROPICALIZADAS (CLASE T).
- ▶ **NATURAL GAS R290 WITH VERY LOW GLOBAL WARMING POTENTIAL WHICH ALSO REDUCES THE ENERGY CONSUMPTION**  
GAS NATURAL R290 CON MUY BAJO ÍNDICE GWP EL CUAL TAMBIÉN REDUCE EL CONSUMO ENERGÉTICO



	 24 H	 10°C (Kg)	 10°C (Kg)	 21°C (Kg)	 15°C (Kg)	 (Kg)	 (mm)	 (mm)	
PULSAR 115 A		122	117	60	Width 685	Width 760	Particle Filter #7499 Average dimensions Dimensiones promedio 40 mm (W) x 44 mm (H)		
PULSAR 115 W		123	119		Depth 555	Depth 630			
					Height 1120*	Height 1250			

\* WITH LEGS 950 CON PATAS 950

#### ACCESSORIES ACCESORIOS

##### INCLUDED



**WATER INLET HOSE**  
MANGUERA DE ENTRADA DE AGUA



**WATER OUTLET HOSE**  
MANGUERA DE DESAGÜE



**4 LEG KIT**  
KIT 4 PATAS



**WATER INLET FILTER GASKET**  
JUNTA DE FILTRO DE ENTRADA DE AGUA



**MEDIUM SCOOP**  
PALA MEDIANA

##### NOT INCLUDED (OPTIONAL)



**ANTI-LIMESCALE FILTER**  
FILTRO ANTICAL  
#7500



**ANTI-LIMESCALE + ANTI-CHLORINE FILTER CS101**  
FILTRO ANTICAL + ANTICLORO CS101  
#6830A



**PARTICLE FILTER**  
FILTRO ANTIPARTÍCULAS  
#7499




**C4 WATER SOFTENER**  
DESCALCIFICADOR C4  
#30353




**CALKLIN 50 CLEANER**  
PRODUCTO ANTICAL  
200 G  
#4033




**ANTI-CHLORINE FILTER**  
FILTRO ANTICLORO  
#7509



**FRONTAL VIEW**  
VISTA FRONTAL



**LEFT SIDE VIEW**  
VISTA LATERAL IZQUIERDA



\* All measurements in mm.  
\* Todas las cotas en mm.

## OPERATING CONDITIONS CONDICIONES DE TRABAJO

PRODUCTION 50Hz PRODUCCIÓN 50 Hz


±10% V

5°C/43°C

5°C/35°C

1 bar/6 bar

24 Ice cubes/cycle



V	Hz	ph
230	50	1N



PULSAR 115 AIR COOLED

	°C			
	10°	15°	21°	30°
10°	120	118	115	108
50°	118	117	115	107
21°	108	106	104	102
68°	102	101	98	96
32°				
90°				
43°				
109°				



PULSAR 115 WATER COOLED

	°C			
	10°	15°	21°	30°
10°	123	118	115	109
50°	118	119	115	107
21°	108	106	104	104
68°	102	101	98	96
32°				
90°				
43°				
109°				

## MODELS MODELOS



(m³)

PULSAR 115 A



1780 6070

1780

3

1,5

10

13,9

13

2292

7820

90

100

0,59

PULSAR 115 W



1780 6070

1780

3

1,5

10

13,5

66

2292

7820

90

100

0,59



ITV ICE MAKERS, S.L.  
POL. IND. SECTOR 13, AVDA. DELS HOSTALERS, 2  
46394 RIBARROJA DE TURIA, VALENCIA, SPAIN  
PHONE: +34 96 166 75 75 | FAX: +34 96 166 81 00  
info@itv.es | www.itv.es



SERVICE  
SERVICIO ASISTENCIA TÉCNICA  
service@itv.es  
Skype: ITV.Service  
+34 961 667 639  
8:00AM | 7:00PM



Subject to certain limitations  
and exclusions. Only spare parts.  
Sujeto a limitaciones y exclusiones.  
Solo piezas de repuesto.

